



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/783,682	02/20/2004	Harvey A. Restaino	C382.12-0146	6991

27367 7590 01/05/2006

WESTMAN CHAMPLIN & KELLY, P.A.
SUITE 1400 - INTERNATIONAL CENTRE
900 SECOND AVENUE SOUTH
MINNEAPOLIS, MN 55402-3319

EXAMINER

BERHANU, SAMUEL

ART UNIT	PAPER NUMBER
----------	--------------

2838

DATE MAILED: 01/05/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/783,682	RESTAINO ET AL.	
	Examiner	Art Unit	
	Samuel Berhanu	2838	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 September 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-22 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-22 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 20 February 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u>6/21/2004</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Objections

1. Claims 1 and 18 are objected to because of the following informalities:
Claims 1 and 18 object to "and/or" because it is not clear if both a charger and a tester or just one of them are required. Appropriate correction is required.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claim 18 is rejected under 35 U.S.C. 102(b) as being anticipated by Kowalski et al. (US 5,772,468).

Regarding 18, Kowalski et al. disclose in Figure 3, a method of coupling a battery charger and/or a battery tester to a battery, the method comprising: providing a cable (48); providing a first elongate clamp (12) member pivotally joined to a second elongate clamp member (14) by first and second couplings (16, in the holes), the first elongate clamp member having a first hole (42, for rivet or fastener); providing a terminal (40) electrically coupled to an end of the cable (48) and having a terminal hole formed therein which aligns (via a rivet (42)) with the first hole in the first elongate clamp member (Column 5, lines 1-12; and removably fastening (42) the terminal to the clamp member through the first

Art Unit: 2838

hole and the terminal hole such that the clamp can be disconnected from the cable (Column 5, lines 18-26). (Removable fastening occurs because one can remove the rivet or other fastener)

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1, 3-4 and 7-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wolf (US 3,267,452) in view of Kowalski et al. (US 5,772,468).

Wolf discloses in Figures 1-10, a cable (20); a first elongate clamp member having a first jaw end (14) and a first hand grip end (11) separated by a first pivot coupling (12), the first hand grip having a first hole formed therein; a second elongate clamp member having a second jaw end (13) and a second hand grip end (10) separated by a second pivot coupling (12) (noted that both the jaws and the hand grips separated by pivot point), the second elongate clamp member pivotally joined to the first elongate clamp member by the first and second pivot couplings (12) whereby the first and second jaws are generally aligned together; Wolf does not disclose explicitly the first hand grip having a first hole formed therein and a terminal electrically coupled to the cable having a terminal hole formed therein aligned with the first hole in the first hand grip; and a removable fastener which couples the terminal to the first hand grip through the first hole

Art Unit: 2838

and the terminal hole whereby the first hand grip can be disconnected from the cable. However, Kowalski et al. disclose in Figure 3, the first hand grip having a first hole (the rivet 42 passes through the hole of the clamp) a terminal (40) electrically coupled to the cable (48) having a terminal hole (the pivot fastened position on the cable) formed therein aligned with the first hole in the first hand grip; and a removable fastener which couples the terminal to the first hand grip through the first hole and the terminal hole whereby the first hand grip can be disconnected from the cable (noted that Kowalski et al. teach how a terminal with a hole formed in the Cable and the cable attached on a clamp with a removable fastener through the clamp hole). It would have been obvious to a person having ordinary skill in the art at the time of the invention to substitute Wolf's clamp assembly and secure the cable in the handle portion with a removable fastener means as taught by Kowalski et al. as taught by Cheng et al. in order to ensure a reliable secure mechanical and electrical connection between the cable and the clamp handle.

Regarding Claim 3, Kowalski et al. disclose, the cable (48) includes a main electrical connector electrically coupled to the terminal and capable of carrying a high current (Column 5, lines 66-67)

Regarding Claim 4, Kowalski et al. disclose, the high current comprises a charging current configured to charge the battery (Column 2, lines 27-30)

Regarding Claim 7, Kowalski et al. disclose in Figure 3 a spring (26) coupled to the first and second elongate clamp members configured to urge the first and second jaws together to a closed position (Column 4, lines 40-43).

Art Unit: 2838

Regarding Claim 8, Kowalski et al. disclose, the first hand grip and the second hand grip are covered with an insulating material (Column 2, lines 59-67).

Regarding Claim 9, Kowalski et al. disclose the terminal comprises a tin-plated ring, (42).

6. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wolf (US 3,267,452) and Kowalski et al. (US 5,772,468) as applied to Claim 1 above, and further in view of Johnson (4,969,834).

Regarding Claim 2, neither Wolf nor Kowalski et al. disclose the apparatus including a first electrical plug electrically coupled to the clamp and a second electrical plug electrically coupled to the cable, the first and second plugs configured to removably electrically couple together. However, Johnson discloses in Figure 4, the apparatus including a first electrical plug (20) electrically coupled to the clamp and a second electrical plug (83) electrically coupled to the cable, the first and second plugs configured to removably electrically couple together (Column 4, lines 66-68, Column 5, lines 1-8). It would have been obvious to a person having ordinary skill in the art at the time of the invention to modify Wolf's clamp assembly and add a plug as taught by Johnson in order to provide reliable connection between the cable and the clamp.

7. Claims 5 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wolf (US 3,267,452) and Kowalski et al. (US 5,772,468) as applied to Claim 1 above, and further in view of Vonderhaar et al. (US 6,469,511).

Art Unit: 2838

Regarding Claim 5, neither Kowalski et al. nor Cheng et al. disclose the cable includes a first electrical connector and a second electrical connector, wherein at least one of the first connector and the second connector provides a Kelvin connection capable of injecting a forcing function into the battery and measuring a voltage across the battery. However, Vonderhaar et al. disclose in Figures 7 and 8 the cable includes a first electrical connector (720) and a second electrical connector (722), wherein at least one of the first connector and the second connector provides a Kelvin connection capable of injecting a forcing function into the battery and measuring a voltage across the battery (Column 5, lines 1-26). It would have been obvious to a person having ordinary skill in the art at the time of the invention to add a voltage monitoring means as taught by Vonderhaar et al. in Wolf's. clamp assembly in order to monitor status of a battery.

Regarding Claim 6, Vonderhaar et al. disclose in Figure 7, at least one of the first connector and the second connector provides a sensor lead for sensing a physical property of the battery (720, Column 5, lines 10-15).

8. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wolf (US 3,267,452) and Kowalski et al. (US 5,772,468) as applied to Claim 1 above, and further in view of Hatrock (US 4,983,086).

Regarding Claim 10, neither Wolf nor Kowalski et al. disclose the replaceable fastener comprises a nut (20) and bolt (10). However, Hatrock discloses in Figure 1, the replaceable fastener comprises a nut and bolt. It would

Art Unit: 2838

have been obvious to use a nut and a bolt fastener means as taught by Hatrock in Wolf's clamp in order to provide securable fastener assembly

9. Claims 11-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wolf (US 3,267,452) in view of Kowalski et al. (US 5,772,468), further in view of Johnson (4,969,834).

Regarding Claim 11, Wolf and Kowalski et al. disclose the claim invention as claim 1 above, (see rejection above, 35 USC § 103 paragraph 2), except a first electrical plug coupled to the clamp and a second electrical plug coupled to the cable, wherein the first and second electrical plug removably electrically couple together and the first hand grip having a first hole formed therein (42) and a terminal electrically coupled to the cable (48) having a terminal hole formed therein aligned with the first hole in the first hand grip. However, Johnson discloses in Figure 4, a first electrical plug (20) coupled to the clamp and a second electrical plug coupled to the cable (28), wherein the first and second electrical plug removably electrically couple together (Column 4, lines 66-68, Column 5, lines 1-8) . It would have been obvious to a person having ordinary skill in the art at the time of the invention to modify Wolf's clamp assembly and add a plug for connection means as taught by Johnson in order to provide a reliable electrical connection. Further, Cheng et al. disclose in Figures 2-5, the first hand grip having a first hole (element 22 has a hole which secured cable 30 as shown in the figure 5, element 202 is part of the handle hand grip end) and a terminal electrically coupled to the cable (30) having a terminal hole formed therein aligned with the first hole in the first hand grip. It would have been

Art Unit: 2838

obvious to a person having ordinary skill in the art at the time of the invention to modify Kowalski et al. clamp assembly and secure the cable in the handle portion as taught by Cheng et al. in order to ensure a reliable secure mechanical and electrical connection between the cable and the clamp handle.

Regarding Claim 12, Johnson discloses, wherein the first plug (20) is electrically coupled to the clamp through a first portion of a first electrical connector (21) and a first portion of a second electrical connector (24).

Regarding Claim 13, Johnson discloses, wherein the second plug is (83) electrically coupled to the cable through a second portion of the first electrical connector (81) and a second portion of the second electrical connector (82).

Regarding Claim 14, Johnson discloses in Figure 4, the first and second portions of the first electrical connector and the first and second portions of the second electrical connector are configured to removably electrically couple together through the first and second plugs (Figure 4).

10. Claims 15-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wolf (US 3,267,452) and Kowalski et al. (US 5,772,468) and Johnson (4,969,834) as applied to Claim 11 above, and further in view of Vonderhaar et al. (US 6,469,511).

Regarding Claim 15, Kowalski et al., Cheng et al. and Johnson disclose all of the claim limitation (see rejection above, 35 USC § 103 paragraph 4), except one of the first and second electrical connectors includes two electrically isolated electrical contacts that provide a Kelvin connection. However, Vonderhaar et al. disclose in Figures 7 and 8, one of the first and second electrical connectors

Art Unit: 2838

includes two electrically isolated electrical contacts that provide a Kelvin connection. It would have been obvious to a person having ordinary skill in the art at the time of the invention to add a voltage monitoring means as taught by Vonderhaar et al. in Wolf's assembly cable in order to monitor status of a battery.

Regarding Claim 16, Vonderhaar et al. disclose in Figure 7, at least one of the first connector and the second connector provides a sensor lead for sensing a physical property of the battery (720, Column 5, lines 10-15).

11. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wolf (US 3,267,452) in view of Kowalski et al. (US 5,772,468) and Johnson (4,969,834)) as applied to claim 13 above, and further in view of Hatrock (US 4,983,086).

Regarding Claim 17, Wolf, Kowalski et al. and Johnson disclose all of the claim limitations, except the first and second electrical connectors comprise acid-resistant connectors. However, Hatrock disclose, the first and second electrical connectors comprise acid-resistant connectors (Column 5, lines 9-17). It would have been obvious to a person having ordinary skill in the art at the time of the invention to add a non-metallic acid resistant material as taught by Hatrock in Wolf's electrical connection in order to improve life of the electrical connection.

12. Claims 19-22 rejected under 35 U.S.C. 103(a) as being unpatentable over Kowalski et al. (US 5,772,468) in view of Johnson (4,969,834).

Regarding Claim 19, Kowalski et al. disclose all of the claim invention, except the method comprising: providing a first electrical plug electrically coupled

Art Unit: 2838

to the clamp and a second electrical plug electrically coupled to the cable; and removably connecting the first electrical plug and the second electrical plug such that the first and second electrical plugs can be electrically disconnected from each other. However, Johnson discloses a first electrical plug (20) electrically coupled to the clamp and a second electrical plug (83) electrically coupled to the cable; and removably connecting the first electrical plug and the second electrical plug such that the first and second electrical plugs can be electrically is connected from each other (Column 4, lines 66-68, Column 5, lines 1-8). It would have been obvious to a person having ordinary skill in the art at the time of the invention to modify Kowalski et al. clamp assembly and add a plug for connection means as taught by Johnson in order to provide a reliable electrical connection.

Regarding Claim 20, Johnson discloses, discloses in Figures 4 and 8 wherein removably connecting the first and second electrical plugs (20,83) comprises: electrically connecting a first portion of a first electrical connector from the first plug to the clamp and connecting a second portion of the first electrical connector from the second plug to the cable; and electrically connecting a first portion of a second electrical connector from the second plug to the clamp and connecting a second portion of the second electrical connector from the second plug to the cable.

Regarding Claim 22, Kowalski et al. disclose, the cable (48) includes a main electrical connector electrically coupled to the terminal and capable of carrying a high current (Column 5, lines 66-67).

Art Unit: 2838

13. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kowalski et al. (US 5,772,468) in view of Vonderhaar et al. (US 6,469,511).

Regarding Claim 21, Kowalski et al. disclose all of the claim limitations, except the first electrical connector include two electrically isolated electrical contacts which provide a Kelvin connection and the second electrical connector comprises a sensor lead. However, Vonderhaar et al. disclose in Figures 7 and 8 the first electrical connector includes two electrically isolated electrical contacts which provide a Kelvin connection and the second electrical connector comprises a sensor lead (720, Column 5, lines 10-15). It would have been obvious to a person having ordinary skill in the art at the time of the invention to add a voltage monitoring means as taught by Vonderhaar et al. in Kowalski et al. clamp assembly in order to monitor status of a batter

Response to Arguments

14. Applicant's arguments with respect to claims 1-17 have been considered but are moot in view of the new ground(s) of rejection.

15. Regarding Claim 18, there is no requirement for the hole in the grip portion, contrary to applicant's argument. The fastener is removable because a rivet can be punched or drilled out and also generic fasteners are disclosed which includes screws, etc.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Samuel Berhanu whose telephone number is 571-272-8430. The examiner can normally be reached on M-F.

Art Unit: 2838

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Karl Easthom can be reached on 571-272-1989. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SB


KARL D. EASTHOM
PRIMARY EXAMINER